Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca - -	aping
		=		Rating class and limiting features 		=	
1C3: Ida	 100 	Frost action	 1.00 1.00	•	 	 Not limited 	
1D3: Ida	 100 	Frost action Low strength		Slope 		 Somewhat limited Slope 	10.63
1E3: Ida	 100 	Frost action Slope		Slope 		 Very limited Slope 	11.00
1G: Ida	İ	Slope Frost action		Slope		 Very limited Slope 	11.00
8B: Judson	 100 	Frost action Low strength	11.00	Depth to saturated zone	 0.16 	 Not limited 	
11B: Colo	 	Depth to saturated zone Frost action Flooding Low strength	1.00 	Depth to saturated zone Flooding 	1.00 	 Very limited Depth to saturated zone Flooding 	 1.00 0.60
Judson	İ I	 Very limited Frost action Low strength	1 1.00	 Somewhat limited Depth to saturated zone	0.16		

Building Site Development

Cherokee County, Iowa

Map symbol and soil name	of map	Pct. Local roads and of streets map unit		Shallow excavati 	ons	 Lawns and landsca 	aping
	 			Rating class and limiting features 		=	
26:		 					
Kennebec				Somewhat limited Depth to saturated zone	0.61		0.60
		Low strength	1.00 1.00 0.50	İ	0.60 	 	
27: Terril		Low strength	11.00	Depth to saturated zone	0.16	 Not limited 	
		Frost action 	0.50 	 		 	
27B: Terril				 Somewhat limited Depth to saturated zone		 Not limited 	
	i	Frost action	0.50			! 	
27C: Terril		Low strength		saturated zone	 0.16		
		Frost action 	10.50	 		 	
28B: Dickman	 - 100 	 Not limited 		·	10.90	 Not limited 	
28D: Dickman				-		 Somewhat limited Slope 	10.04
31: Afton	 	Depth to saturated zone Frost action Flooding Low strength	1.00 	Depth to saturated zone Flooding 	1.00 	 Very limited Depth to saturated zone Flooding 	 1.00 0.60

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati	ons	Lawns and landsca 	aping
				Rating class and limiting features			
33D: Steinauer	 - 95 	Low strength Slope Shrink-swell		I I		 Somewhat limited Slope 	 0.63
33F: Steinauer	İ	Slope Low strength Shrink-swell		Slope 		 Very limited Slope 	 1.00
33G: Steinauer		Slope Low strength Shrink-swell		I I		 Very limited Slope 	 1.00
54: Zook	 	Depth to saturated zone Frost action Flooding Low strength	1.00 1.00	Depth to saturated zone Flooding Too clayey	1.00 	Flooding	1.00
72B: Estherville	 - 100 	 Not limited 	 		1 0.90	 Not limited 	
72C: Estherville	 - 100 	 Not limited 		=	10.90	 - Not limited - 	
77B: Sac	1	Frost action Low strength	 1.00 1.00 0.50	Ī	 	 Not limited 	

Building Site Development

Cherokee County, Iowa

Map symbol and soil name	Pct. of map unit	streets	d	 Shallow excavati 	ons	 Lawns and landscap 	ping
	 _					Rating class and limiting features	
77B2: Sac	 - 100 	Frost action Low strength	 1.00 1.00 0.50	İ		 Not limited 	
77c: Sac		Frost action Low strength	 1.00 1.00 0.50	l		 Not limited 	
77C2: Sac	 - 100 	Frost action Low strength	11.00	İ		 Not limited 	
78B: Sac	 - 100 	Frost action Low strength	11.00	İ		 Not limited 	
78B2: Sac	 - 100 	Frost action	 1.00 1.00 0.50			 Not limited 	
78C: Sac	 - 100 	Low strength	 1.00 1.00 0.50	l		 Not limited 	
78C2: Sac	 - 100 	Frost action Low strength	 1.00 1.00 0.50	l		 Not limited 	

Building Site Development

and soil name	Pct. of map unit	f streets p		Shallow excavati 	ons	 Lawns and landsca 	aping
	 			Rating class and limiting features 			
91: Primghar	 95 	Frost action Low strength		saturated zone	 0.61 	 Not limited 	
91B: Primghar	 90 	 - Very limited Frost action - Low strength	 	 Somewhat limited Depth to saturated zone 	 0.61 	 Not limited 	
92: Marcus	 	Depth to Saturated zone Frost action Low strength	11.00	Depth to saturated zone 	11.00	 Very limited Depth to saturated zone 	 1.00
96: Turlin	 95 	 Somewhat limited Frost action 			 0.61		
108: Wadena	1100	 Not limited		 Not limited		 Not limited	
108B: Wadena	1100	 Not limited		 Not limited		 Not limited	
133: Colo	 	Depth to saturated zone Frost action Flooding Low strength	11.00	Depth to saturated zone Flooding 	11.00	 Very limited Depth to saturated zone Flooding 	11.00

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavations 		Lawns and landscaping 	
	 	Rating class and limiting features		Rating class and limiting features			
135: Coland		Depth to	1.00	 Very limited Depth to saturated zone	1.00	 Very limited Depth to saturated zone	 1.00
		Flooding Low strength	1.00 1.00 1.00 0.50	 	0.60 	Flooding 	0.60
189:	İ	İ	İ		i	İ	i
Omadi	95 	Frost action	11.00	Somewhat limited Flooding Depth to saturated zone	0.60 0.15	Somewhat limited Flooding 	 0.60
	i	Low strength	11.00	•	i	İ	i
309:		 					
Allendorf	İ	Low strength Shrink-swell		•	0.90	 Not limited 	
309B:		[1		1	
Allendorf	100	Low strength Shrink-swell		•	0.90	Not limited 	
310:		 		 			
Galva		Frost action Low strength	 1.00 1.00 0.50	İ		Not limited - -	
310B:							i
Galva		Frost action Low strength	 1.00 1.00 0.50	Ī		Not limited - -	
310B2:		 		 		 	
Galva		Frost action Low strength	 1.00 1.00 0.50	İ	 	 Not limited 	

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca 	nping
				Rating class and limiting features			
310C: Galva		Frost action Low strength	 1.00 1.00 0.50	Ī	 	 Not limited 	
310C2: Galva		Frost action Low strength	 1.00 1.00 0.50	İ	 	 Not limited 	
310D2: Galva		Frost action Low strength Slope		 	 0.63 		 0.63
354: Aquolls		Not Rated (miscellaneous unit)	1.00 1.00	Depth to	1.00 1.00	saturated zone	 1.00 1.00
428B: Ely	 	Frost action Low strength		Depth to saturated zone	 0.95 	 Not limited 	
433D: Storden	 - 100 	Slope				 Somewhat limited Slope 	 0.63
433F: Storden		Slope		Slope		 Very limited Slope 	11.00

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati - -	ons	Lawns and landsca - -	ping
				Rating class and limiting features			
433G: Storden		Slope		Slope		 Very limited Slope 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
485: Spillville	 	Flooding Low strength Shrink-swell	1.00 	saturated zone Flooding	0.61	Flooding 	0.60
485B: Spillville	 	Low strength Shrink-swell	11.00	•	0.61		
505: Sperry	 	Depth to saturated zone Frost action Low strength	1.00 	Depth to saturated zone Too clayey 	1.00	saturated zone	1.00
577B2: Everly		Low strength Shrink-swell	11.00	Ī		 Not limited 	
577C: Everly		Low strength Shrink-swell	11.00	İ		 Not limited 	
577C2: Everly		Low strength Shrink-swell	 1.00 0.50 0.50	İ	 	 Not limited 	

Building Site Development

and soil name	Pct. of map unit	streets	d	 Shallow excavati 	ons	 Lawns and landsca 	ping
	 			Rating class and limiting features			
577D2: Everly	 100 	Low strength Slope Shrink-swell	 1.00 0.63 0.50 0.50	I I	 0.63 	 Somewhat limited Slope 	0.63
585B: Spillville	 60 	Low strength Shrink-swell		saturated zone	0.61	 Not limited 	
Coland	 	Depth to saturated zone Frost action Flooding Low strength	1.00 	saturated zone Flooding 		 Very limited Depth to saturated zone Flooding 	1.00
633G: Steinauer	 55 	Slope Low strength Shrink-swell		 	11.00	 Very limited Slope 	11.00
Steinauer Variant	 40 	Depth to saturated zone Slope Frost action Low strength		saturated zone Too clayey	 1.00 1.00 1.00	Depth to saturated zone	 1.00 1.00
739G: Steinauer	 65 	Slope Low strength Shrink-swell	 1.00 1.00 0.50 0.50		1.00	 Very limited Slope 	1.00

Building Site Development

and soil name	Pct. of map unit	streets	d	 Shallow excavati 	ons	 Lawns and landsca 	ping
	 	=		Rating class and limiting features		=	
Hawick		•			11.00	 Very limited Slope Droughty	 1.00 0.65
740C: Hawick	 100 	 Not limited 	 	 Very limited cutbanks cave 	•	 Somewhat limited Droughty 	 0.53
740E: Hawick				 Very limited Slope cutbanks cave	0.96	 Very limited Slope Droughty	 0.96 0.53
740G: Hawick				Slope	11.00	 Very limited Slope Droughty	1.00
810: Galva	 100 100 	Frost action Low strength	1.00	İ		 Not limited 	
810B: Galva		Frost action Low strength	1.00	Ī		 Not limited 	
810C2: Galva		Frost action	 1.00 1.00 0.50	İ		 Not limited 	
878B: Ocheyedan			1 1 1 1 1 1 1 1 1 1	 Not limited 		 Not limited 	
878C2: Ocheyedan			10.50	 Not limited 		 Not limited 	

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landscaping 	
				Rating class and limiting features			
1609:		 	 	 		 	
Fluvaquents	 	Depth to saturated zone Flooding Frost action	1.00 	Depth to saturated zone Flooding	1.00	 Very limited Depth to saturated zone Flooding	 1.00 0.60
Omadi		 Very limited Frost action Flooding	 1.00 1.00	 Somewhat limited Flooding Depth to saturated zone	0.60	 Somewhat limited Flooding 	 0.60
1639G: Storden	İ	Slope		Slope		 Very limited Slope 	 1.00
Hawick			1.00	Slope	11.00	 Very limited Slope Droughty	 1.00 0.65
1658C: Terril		Low strength	11.00	Depth to saturated zone	0.16	 Not limited 	
Coland	 	Depth to saturated zone Frost action 	1.00 1.00	Depth to saturated zone Flooding	11.00	•	 1.00 1.00
1785: Spillco	 92	Low strength Shrink-swell Very limited Frost action	1.00	 Somewhat limited Flooding		 Very limited Flooding	 1.00
	 	İ	11.00	saturated zone		 	

Building Site Development

Cherokee County, Iowa

Map symbol and soil name	 Pct. of map unit		d	 Shallow excavati 	ons	 Lawns and landsca 	ping
	 	Rating class and limiting features		 Rating class and limiting features 		 Rating class and limiting features 	Value
5010: Pits	 - 100 	 Not rated 	 	 Not rated 		 Not rated 	
5040: Orthents	 - 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
W: Water	 - 100 	 Not rated 	 	 Not rated 		 Not rated 	
	 	I I	 	 	 	 	